

# INDEX TO VOLUME 75<sup>1</sup>

## A

- Abundance and growth, brown trout, 148-153  
*Acer negundo*, 127  
*Acolpenteron ureterocoetes*, 105  
*Acroncuria* sp., 54  
*internata*, 53-54  
*lycorias*, 120  
 Adams, William C., 3  
*Aedes aegypti*, 52  
 Age, diversity of terms, 163  
   relationship to fecundity, 73-76  
   steelhead trout, 77-83  
 Age composition, poisoned fish, 207-224  
 Algae, cause of fish mortality, 175-180  
 Algonquin Park, lake trout fishery, 19-35  
*Aloua sapidissima*, 264  
*Anaethanthus* sp., 127  
*Ambloplites rupestris*, 140, 205-206, 219-221,  
   224, 237-238, 241, 252-253  
*Ambrosia artemisiifolia*, 127  
*trifida*, 127  
 Ameiuridae, 314  
*Ameiurus*, 112  
   *melas*, 88, 91-96, 116, 175  
   *natula*, 205-206, 222  
   *nebulosus*, 56-58  
*Ictalurus lacustris lacustris*, 112  
   *lupus*, 112  
   *punctatus*, 110-138  
*Pseudictis olivaris*, 116  
*Ameletus* sp., 120  
*Ammocrypta clara*, 133  
*Amnicola*, 127, 171  
 Amphibia  
   *Rana catribuiana*, 58  
*Anabena*, 168-170, 172-173  
*Anacharis*, 49  
 Angling, in relation to water level, 258-260  
 Anguillidae  
   *Anguilla*, 117  
     *bostoniensis*, 116, 167, 175  
 Annuli, of steelhead trout, 80-82  
*Anodonta*, 116  
*Antocha* sp., 121  
 Aquarium studies, brown trout, 59-64  
 Aquatic plants: see Plants  
*Aphanizomenon flos aquae*, 179  
*Aplodinotus grunniens*, 306-315  
 Applegate, Vernon C., 200-227  
 Aroma, of wild and reared brook trout, 183-  
   184  
 Artificial propagation, creek chub, 336-350  
*Artocoris* sp., 120, 128  
*Asterionella*, 168, 328  
*Atymna queret*, 120  
 Availability, of catfish food organisms, 130-  
   134  
   lake trout, 20-23  
 Aves  
   *Gallus gallus*, 127

## B

- Bacillus*, 187  
 Back Creek, West Virginia, description, 49-50  
   effects of DDT, 48-58  
 Bacteria, description, furunculosis-causing,  
   186-187  
*Bacterium salmonicida*, 186-187, 194, 198  
   *truttae*, 187  
 Baeder, Helen A., 181-185  
*Baetis* sp., 53-54  
*Baetisca* sp., 120

- Bailey, Reeve M., 4, 110-138  
 Ball, Robert C., 36-42, 139-146  
 Bass, largemouth, 50, 57, 84, 88, 140, 205-  
   206, 237  
   coefficient of condition, 250  
   conversion between standard and total  
     length, 238  
   depth distribution, TVA reservoirs, 65-  
     71  
   growth, 216-217  
   length-weight equation, 241  
   length-weight relationship, 250-251  
   parasite, 105-109  
   size and age composition, 216-218  
   year classes, comparative strength, 224-  
     225  
 rock, 140, 205-206, 237  
   coefficient of condition, 252  
   conversion between standard and total  
     length, 238  
   growth, 219, 221  
   length-weight equation, 241  
   length-weight relationship, 252-253  
   size and age composition, 219-220  
   year classes, comparative strength, 224  
 smallmouth, 20, 43-47, 50, 55-58, 116, 140,  
   237  
   coefficient of condition, 248  
   conversion between standard and total  
     length, 238  
   growth in relation to turbidity, 306-308  
   length-weight relationship, 248-249  
   value of length-weight equation, 241  
   white, fluctuation in year classes, 308-315  
   growth in different waters, 306-308  
 Bartsch, Alfred F., 175-180  
 Beckman, William C., 237-256  
*Berosus peregrinus*, 53-54  
   *striatus*, 120  
 Bluegill, 50, 57, 84-85, 93-95, 140, 205-206,  
   237  
   coefficient of condition, 242  
   conversion between standard and total  
     length, 238  
   growth, 209-210  
   hybrids, 211-215  
   length-weight equation, 240-241  
   length-weight relationship, 242-243  
   mortality, 175  
   recovery of marked, 36-42  
   size and age composition, 207-209  
   test animal, 234  
   year classes, comparative strength, 224-  
     225  
*Boleosoma nigrum*, 127, 133, 330  
*Boesmina*, 170, 328  
 Bottom fauna, Crecy Lake, New Brunswick,  
   171  
*Brachycentrus* sp., 121  
*Brachycercus* sp., 120  
 Breeding, creek chub, 336-350  
 Brett, J. R., 97-104  
 Brown, James, 4  
 Bryozoa, 127  
*Plumatella fungosa*, 115, 122, 127  
 Buffalo, mortality, 175  
 Buffalo fish, 116  
 Bullhead, 140  
   black, 88, 91-96, 116  
   mortality, 175  
   brown, 56-58  
   habitat, 112  
   yellow, 205-206  
   size and age composition, 222

<sup>1</sup>Exclusive of list of common and scientific names, pp. 353-397.

Bulrush, 203, 324  
Burbot, 332

## C

*Caenis* sp., 53, 120  
*Callinectes sapidus*, 118  
*Campeloma*, 116  
*Camptostoma anomalum pullum*, 133  
*Carassius auratus*, 50, 57, 140  
Carbine, W. F., 200-227  
Carbon dioxide, loss with oxygenation, 234-235  
Carp, 140, 314  
  mortality, 175, 177-178  
*Carpiodes*, 116, 126, 133  
  *carpio*, 133  
    *cyprinus*, 133  
    *velifer*, 133  
Carp sucker, 116  
Catch, lake trout, 19-35  
  steelhead trout, 77-83  
Catfish, flathead, 116  
  food habits, 110-138  
  relation to turbid water, 314  
Catostomidae  
  *Carpiodes*, 116, 126, 133  
    *carpio*, 133  
    *cyprinus*, 133  
    *velifer*, 133  
  *Catostomus*, 257  
    *catostomus*, 331-332  
    *comersonnii*, 50, 55-58, 175, 179, 205-206, 223, 264, 330  
  *Erimyzon oblongus*, 50, 55-58  
  *Hypentelium nigricans*, 50, 55-58, 116, 133, 175  
  *Ictiobus bubalus*, 175  
  *Megastomatobus cyprinella*, 116  
  *Moxostoma*, 116  
    *anisurum*, 133  
    *aureolum*, 133  
    *erythrum*, 133  
Cattail, 203  
*Celtis occidentalis*, 127  
Census, creel, lake trout, 19-35  
Centrarchidae  
  *Ambloplites rupestris*, 140, 205-206, 219-221, 224, 237-238, 241, 252-253  
  *Huro salmoides*, 50, 57, 65-71, 84, 88, 105-109, 205-206, 216-218, 224-225, 237-238, 241, 250-251  
  *Lepomis auritus*, 50  
    *cyaneus*, 88, 91-93, 95-96, 133, 140, 205-206, 215-217, 224-225  
    *gibbosus*, 140, 205-206, 209-215, 224-225, 237-238, 241, 246-247  
    *humilis*, 133  
    *macrochirus*, 36-42, 50, 57, 84-85, 93-94, 140, 175, 205-215, 224-225, 234, 237-238, 240-243  
    *microlophus*, 85, 89  
  *Micropterus dolomieu*, 20, 43-47, 50, 55-58, 116, 140, 237-238, 241, 248-249, 306-308  
  *Pomoxis annularis*, 88, 116  
    *nigro-maculatus*, 116, 175  
  *Ceratichthys perspicua*, 127, 132-134  
  *Ceratophyllum demersum*, 203  
  *Ceresa diceros*, 120  
  Clark, Arthur L., 4  
  Clark, O. H., 270-280  
  Clear Lake, Riding Mountain Park, Manitoba, 323-335  
  Clemens, W. A., 4  
  *Clemmys insculpta*, 58  
  *Clupea harengus*, 264  
    *pallasi*, 72-76

Chapman, V. B., 19-35  
Chara, 49, 202-203  
*Chelydra serpentina*, 58  
Chemical conditions, Clear Lake, Manitoba, 326-328  
  Crey Lake, New Brunswick, 172  
  Deep Lake, Michigan, 202-203  
*Cheumatopsyche* sp., 53-54  
*Chimarra obscura*, 52-54  
  *socia*, 52-54  
*Chrosomus eos*, 39  
*Chrysemys picta*, 58  
Chub, creek, propagation, 336-350  
Chute, Walter H., 4  
Cisco, 330-331, 334  
Clupeidae  
  *Alosa sapidissima*, 264  
  *Clupea harengus*, 264  
    *pallasi*, 72-76  
  *Dorosoma cepedianum*, 118  
Cobb, Kenneth E., 3  
Coefficient of condition  
  bass, largemouth, 250  
  rock, 252  
  smallmouth, 248  
  bluegill, 242  
  calculation, 241, 256  
  Michigan fish, 237-256  
  perch, yellow, 244  
  pike, northern, 254  
  pumpkinseed, 246  
Coleoptera  
  *Icterus peregrinus*, 53-54  
  *Diabrotica duodecim-punctata*, 120  
  *Dineutes* sp., 53  
  *Dytiscus* sp., 121, 128  
  *Elmis* sp., 121, 128  
  *Enochrus* sp., 120  
  *Evarthrus colossus*, 120  
  *Geotrupes* sp., 121  
  *Gyrinus* sp., 53-54, 120  
  *Heterelmis tricinctus*, 53-54  
  *Hippodamia* sp., 120  
  *Hydrous triangularis*, 120  
  *Lina interrupta*, 120  
  *Megilla maculata*, 120  
  *Microclypeus pusillus*, 53-54  
  *Peltodytes* sp., 120  
  *Phyllophaga* sp., 121  
  *Perphenus hericki*, 53-54  
  *Simaonia* sp., 53-54  
  *Stenelmis* sp., 53-54  
Common names of fishes, list, 353-397  
Condition: see Coefficient of condition  
Conversion, standard to total length,  
  bass, largemouth, 238  
  rock, 238  
  smallmouth, 238  
  bluegill, 238  
  Michigan fish, 237-256  
  perch, yellow, 238  
  pike, northern, 238  
  pumpkinseed, 238  
Coontail, 203  
*Cordulegaster maculatus*, 120  
Coregonidae  
  *Coregonus clupeaformis*, 282, 306-315, 330-331, 334  
  *odonophus*, 331  
  *Leucichthys*, 330  
    *arted*, 282, 306-315  
  *Prosopium williamsi*, 335  
Cornus sp., 127  
Correlation, turbidity and year classes, 318-319  
*Corydatus cornutus*, 54, 120  
Cost, stream improvement, 270-280

- Cottidae  
*Cottus cognatus*, 330  
 Crab, blue, food of catfish, 118  
 Crappie, black, 116  
   mortality, 175, 179  
   white, 88, 116  
 Creey Lake, New Brunswick, 165-174  
*Cristivomer namaycush*, 19-35, 323-335  
 Crustacea  
   *Boeina*, 170, 328  
   *Callinectes sapidus*, 118  
   *Cyclops*, 328  
   *Daphnia*, 60, 170, 328  
   *Diaphanosoma*, 170  
   *Diaptomus*, 328  
     *minutus*, 170  
   *Epischura*, 170, 328  
   *Gammarus*, 117  
   *Homarus americanus*, 267  
   *Hyalella*, 171, 328-329  
   *Mesocyclops*, 170  
   *Panulirus argus*, 267-269  
*Cyclops*, 328  
 Cyprinidae  
*Compositoma anomalum pullum*, 133  
*Carassius auratus*, 50, 57, 140  
*Ceraticthys perapiculus*, 127, 132-134  
*Chrosomus eos*, 39  
*Cyprinus carpio*, 140, 175, 177-178, 314  
*Erimystax* sp., 126, 133  
*Extrarius aestivalis*, 126, 133  
*Hybognathus hankinsoni*, 133  
*Hyborhynchus notatus*, 49-50, 55-58, 88, 127, 133, 201  
*Leucosomus corporalis*, 50, 55-58  
*Natemigonus crysoleucas*, 50, 57, 92, 95, 133, 201, 205-206, 223  
*Notropis amoenus*, 50, 52, 55-58  
   *a. atherinoides*, 126, 133  
   *blennius*, 133  
   *cornutus*, 55-58, 88, 126, 133-134  
   *deliciosus*, 116, 126, 132-133  
   *d. dorsalis*, 126, 133-134  
   *hudsonius*, 330-331  
   *rubellus*, 126, 133  
   *spilopterus*, 49, 52, 55-58, 116, 126, 132-134  
   *topeka*, 133  
   *volucellus*, 38  
*Phenacobius mirabilis*, 127, 133  
*Pimephales promelas*, 92, 95, 127, 133, 330  
*Rhinichthys atronatus*, 50, 55-58  
   *catarractae*, 330  
*Semotilus n. atromaculatus*, 133, 336-350  
 Cyprinodontidae  
*Fundulus diaphanus*, 167  
   *heteroclitus*, 262  
   *notatus*, 88  
*Cyprinus carpio*, 140, 175, 177-178, 314  
 D  
 Dace, blacknose, 50, 55-58  
   longnose, 330  
*Daphnia*, 60, 170, 328  
 Darter, fantail, 56  
   Johnny, 330  
 DDT, effect of aerial application, 48-58  
   symptoms of poisoning, 63-64  
   toxicity to brown trout, 59-64  
 Decline of fishes, turbidity as factor, 281-322  
*Dreodon verticillatus*, 203  
 Deep Lake, Michigan, 200-227  
 Demann, J. G., 228-236  
 Dendy, Jack S., 65-71  
 Des Moines River, Iowa, 110-138  
*Diabrotica duodecim-punctata*, 120  
*Dianthera americana*, 49  
*Diaphanosoma*, 170  
*Diaptomus*, 328  
   *minutus*, 170  
 Diet, effect on survival and growth, brown trout, 153-154  
*Dineutes* sp., 53  
*Dinobryon*, 328  
 Diptera  
   *Aedes aegypti*, 52  
   *Anocha* sp., 121  
   *Euparyphus*, 121  
   *Hemerodromia*, 54  
   *Pedicia* sp., 121  
   *Psychoda* sp., 121  
   *Ptychoptera* sp., 121  
   *Rhamphidia* sp., 121  
   *Rhaphidolabris* sp., 121  
   *Sarcophaga*, 121  
   *Simulium*, 121  
   *Stratiomyia*, 121  
   *Tabanus* sp., 121  
 Disease, treatment of furunculosis, 186-199  
 Distribution, depth, in TVA reservoirs, 65-71  
*Dorosoma cepedianum*, 118  
 Drugs, furunculosis treatment, 186-199  
 du Plessis, S. S., 105-109  
 Dymond, John R., 4  
*Dytiscus* sp., 121, 128  
 E  
 Eel, 116, 167, 175  
 Eggs, creek chub, 344-347  
   loss, 46  
   smallmouth bass, 43-47  
*Eleocharis acicularis*, 203  
*Elmiz* sp., 121, 123  
 English system rs metric system in fishery work, 157-160  
*Enochrous* sp., 120  
*Ephemerella* sp., 53  
 Ephemeroptera  
   *Ameletus* sp., 120  
   *Baetis* sp., 53-54  
   *Baetisca* sp., 120  
   *Brachycreus* sp., 120  
   *Caenis* sp., 53, 120  
   *Ephemerella* sp., 53  
   *Ephoron* sp., 120  
   *Heptagenia*, 120-128  
     *maculipennis*, 53-54  
   *Hexagenia atrocaudata*, 120  
   Iron, 120  
     *rubidus*, 53-54  
   *Isonychia*, 120  
     *albomaculata*, 53-54  
   *Pentagenia* sp., 120-121, 128  
   *Potamanthus*, 120-121, 128  
   *Pseudocloeon carolina*, 53-54  
   *Siphonurus* sp., 120  
   *Stenonema* sp., 53-54, 120  
*Ephoron* sp., 120  
*Epischura*, 170, 328  
*Erimystax* sp., 126, 133  
*Erimyzon oblongus*, 50, 55-58  
*Eriocaulon septangulare*, 167  
 Erosion, control of bank, 274-275  
   relation to turbidity, 317-318  
 Eschmeyer, R. W., 3  
 Esocidae  
   *Esox lucius*, 20, 116, 175, 237-238, 241, 254-255, 326, 330, 333  
   *masquinongy*, 20  
   *niger*, 50  
   *vermiculatus*, 205-206, 222-223  
*Eucalia inconstans*, 330  
*Euparyphus* sp., 121  
*Evarthrus colossus*, 120

Everhart, W. Harry, 59-64  
*Extrarius aestivalis*, 126, 133

## F

Fallfish, 50, 55-58  
 Feast, C. N., 4  
 Fecundity, Pacific herring, 72-76  
     relationship to age and length, 72-76  
 Feeding behavior, channel catfish, 134-136  
 Fertilizer, application, 167-168  
 Fertilization, Crecy Lake, New Brunswick, 165-174  
 Fingerlings, brown trout, survival and growth, 147-156  
 Fish: see under common or scientific name  
 Fishfood organisms, effect of DDT, 48-58  
 Fish populations, elimination, 139-146  
 Fishing water, creation, 275, 278  
 Flavor, wild and reared brook trout, 183-184  
 Fluctuation, lake trout fishery, 24  
 Food, channel catfish, 119-134  
 Ford Lake, poisoning, 36-42  
 Freshets, action on fish, 257-266  
 Frog, bull, 58  
 Fry, creek chub, 347-349  
 Fry, F. E. J., 19-35  
*Fundulus diaphanus*, 167  
     *heteroclitus*, 262  
     *notatus*, 88  
 Furacin, furunculosis treatment, 186-199  
 Furunculosis, treatment by drugs, 186-199

## G

Gadidae  
     *Lota maculosa*, 332  
*Gallus gallus*, 127  
*Gammarus*, 117  
 Gasterosteidae  
     *Eucalia inconstans*, 330  
*Geotrupes* sp., 121  
 Goldfish, 50, 57, 140  
*Gomphus* sp., 120  
 Gordon, Seth, 5  
 Gottschalk, John, 4  
 Grayling, Montana, 37  
 Great Lakes, turbidity and decline of fishery, 281-322  
 Griffiths, Francis P., 5  
 Growth, bluegill, 209-210  
     brown trout, 147-156  
     Deep Lake population, 209-222  
     lobster, 267-269  
     steelhead trout, 77-83  
     relation to turbidity, 306-308  
 Gutsell, James S., 186-199  
*Gyrinus* sp., 53-54, 120

## H

*Hadropterus maculatus*, 133  
     *phoxocephalus*, 133  
 Harrison, Harry M., 110-138  
 Hart, W. B., 228-236  
 Hassler, William W., 59-64  
 Hazzard, A. S., 5, 181-185  
*Helicopsyche borealis*, 121  
*Helisoma*, 171  
*Hemerodromia*, 54  
 Hemiptera  
     *Arctocoris* sp., 120, 128  
     *Lygus pratensis*, 120  
     *Podisus maculiventris*, 120  
*Heptagenia*, 120, 128  
     *maculipennis*, 53-54  
 Herman, Elmer F., 175-180

Herring, fecundity, 72-76  
     freshets, action in, 264  
     year classes, 308-315  
 Herrington, William C., 4  
*Heteriminius tritatus*, 53-54  
*Hexagenia atrocoudata*, 120  
 Hildebrand, Samuel F., 4  
 Hile, Ralph, 4, 157-164  
*Hippodamia* sp., 120  
 Hoffmann, Clarence H., 48-58  
 Hogan, Joe, 3  
 Hogmolly, 116  
*Homarus americanus*, 267  
 Homoptera  
     *Alyma quereii*, 120  
     *Ceresa diceros*, 120  
     *Tibicen auletes*, 120  
 Hunter, R. P., 3  
 Huntsman, A. G., 4, 257-266  
 Hubbs, Carl L., 4  
*Huro salmoides*, 50, 57, 65-71, 84, 88, 105-109, 205-206, 216-218, 224-225, 237-238, 241, 250-251  
*Hyalella*, 171, 328-329  
*Hybognathus hankinsoni*, 133  
*Hyborhynchus notatus*, 49-50, 55-58, 88, 127, 133, 201  
*Hydropsyche* sp., 53-54, 121, 128  
*Hydrous triangularis*, 120  
*Hypentelium nigricans*, 50, 55-58, 116, 133, 175

## I

*Ictiobus bubalus*, 175  
*Ictalurus lacustris lacustris*, 112  
     *lupus*, 112  
     *punctatus*, 110-138  
 Improvement, streams in Michigan, 270-280  
 Incubation period, creek chub, 344-347  
     smallmouth bass, 45-46  
 Indexes, lake trout fishery, 23-24  
 Insects: see under names of orders  
 Invertebrates, effects of DDT, 52-55  
 Iron, 120  
     *rubidus*, 53-54  
*Isonychia*, 120  
     *albomaculata*, 53-54

## J

Jackfish, 330  
 Jackson, Charles E., 4  
 Jonkershoek, South Africa, 105-109  
*Juncus militaris*, 167

## K

Katz, Max, 72-76  
 Killifish, 167  
 Kingsbury, Oliver R., 147-156

## L

Lake Erie, turbidity, 281-322  
 Lakes, bass, 142-144  
     trout, 142-144  
*Lemna*, 117  
 Length, fork, 161-163  
     relationship to fecundity, 72-73  
     standard, 161-163  
     conversion to total, 237-256  
     total, 161-163  
     conversion to standard, 237-256  
 Length-weight relationship,  
     bass, largemouth, 250-251  
     rock, 252-253  
     smallmouth, 248-249

- bluegill, 242-243  
 Michigan fish, 237-256  
 perch, yellow, 244-245  
 pike, northern, 254-255  
 pumpkinseed, 246-247  
 Leonard, Justin W.  
*Lepibema chrysops*, 306-315  
*Lepomis auritus*, 50  
*cyaneus*, 88, 91-93, 95-96, 133, 140, 205-206, 215-217, 224-225  
*gibbosus*, 140, 205-206, 209-215, 224-225, 237-238, 241, 246-247  
*humilis*, 133  
*macrochirus*, 36-42, 50, 57, 84-85, 93-94, 140, 175, 205-215, 224-225, 234, 237-238, 240-243  
*microlophus*, 85, 89  
*Leucichthys*, 330  
*artedi*, 282, 306-315  
*Leucosomus corporalis*, 50, 55-58  
 Lily, water, white, 203  
 yellow, 203  
*Lina interrupta*, 120  
 Ling, 332  
 Live car, molting lobster, 267-269  
 Lobster, northern, 267  
 Locke, S. B., 5  
 Loosentrife, swamp, 203  
*Lota maculosa*, 332  
*Lygus pratensis*, 120

## M

- MacKay, H. H., 3  
 Mackenthun, Kenneth M., 175-180  
*Macronemum zebratum*, 53-54  
 Management, catfish, 136-137  
 Manuscript, instructions for preparing, 399-402  
 Marked fish, recovery, 36-42  
 Marshall, Nelson, 267-269  
 Maskinonge, 20  
 McCormac, Fred J., 4  
*Megalodonta beekii*, 203  
*Megastomatobus cyprinella*, 116  
*Megilla maculata*, 120  
*Melantho*, 116  
*Melanoplus differentialis*, 120  
*femur-rubrum*, 120  
*Melospiza*, 328  
*Mesocyllops*, 170  
 Metric system vs English system in fishery work, 157-160  
 Michigan, rotenone experiments, 139-146  
 stream improvement, 270-280  
*Microcyllops pusillus*, 53-54  
*Micropterus dolomieu*, 20, 43-47, 50, 55-58, 116, 140, 237-238, 241, 248-249, 306-308  
 Migration, effect of freshets, 257-266  
 trap for salmon, 97-104  
 Millers thumb, northern, 330  
 Minnow, bluntnose, 49-50, 55-58, 88, 201  
 fathead, 92, 95, 330  
 mud, 38-39, 205-206, 223-224  
 silverling, 50, 52, 55-58  
 spottail, 330-331  
 Moisture, taste of wild and reared brook trout, 184  
 Mollusca  
*Amnicola*, 127, 171  
*Anodonta*, 116  
*Campeloma*, 116  
*Heliosoma*, 171  
*Melantho*, 116  
*Nitocris carinatus*, 54-55  
*Pisidium*, 328-330  
*Planorbis*, 127

- Sphaerium stamineum*, 54  
*Vivipara*, 116  
 Molting, lobster without growth, 267-269  
 Moore, Emmeline, 5  
*Morone americana*, 118  
 Mortality, by algae, 175-180  
*furunculosis*, 189-192  
 Mosquito, 52  
 Mottley, C. McC., 4  
*Moxostoma*, 116  
*anisurum*, 133  
*aureolum*, 133  
*erythrurum*, 133  
 Myers, George S., 4  
*Myrmeleon* sp., 120

## N

- Najas*, 118  
*flexilis*, 203  
 Names of common fishes, 353-397  
*Natrix sipedon*, 58  
*Neoperla clymene*, 53-54  
*Neophasganophora capitata*, 54, 120  
 Neuroptera  
*Corydalus cornutus*, 120  
*Myrmeleon* sp., 120  
*Nigronia serricornis*, 53-54  
*Nitocris carinatus*, 55  
*Notemigonus crysoleucas*, 50, 57, 92, 95, 133, 201, 205-206, 223  
*Notropis amoenus*, 50, 52, 55-58  
*a. atherinoides*, 126, 133  
*biennius*, 133  
*cornutus*, 55-58, 88, 126, 133-134  
*deliciosus*, 116, 126, 132-133  
*d. dorsalis*, 126, 133-134  
*hudsonius*, 330-331  
*rubellus*, 126, 133  
*spilopterus*, 49, 52, 55-58, 116, 126, 132-134  
*topeka*, 133  
*volucellus*, 38  
*Nuphar advena*, 203  
*Nymphaea odorata*, 203

## O

- Odonata  
*Cordulegaster maculatus*, 120  
*Gomphus* sp., 120  
 Officers, list of, 3  
*Oncorhynchus nerka*, 97-104  
*Orchelimum vulgare*, 120  
 Organoleptic tests, wild and reared brook trout, 181-185  
 Orthoptera  
*Melanoplus differentialis*, 120  
*femur-rubrum*, 120  
*Orchelimum vulgare*, 120  
 Overfishing, relation to depletion of Great Lakes fisheries, 319  
 Oxygen, relation to depth distribution of fish, 65-70  
 Oxygenation, test solutions for toxicity, 228-236

## P

- Palatability, wild and reared brook trout, 181-185  
*Panulirus argus*, 267-269  
 Parasite, largemouth bass, 105-109  
*Pedicia* sp., 121  
*Peltodytes* sp., 120  
*Pentagenia* sp., 120-121, 128

- Perca flavescens*, 36, 116, 140, 179, 205-206, 219, 221-222, 224-225, 237-238, 241, 244-245, 282, 306-315, 330-331, 334
- Perch, trout, 330
- yellow, 116, 140, 205-206, 237, 282, 330-331, 334
- coefficient of condition, 244
- conversion between standard and total length, 238
- growth, 221-222, 306-308
- length-weight equation, 241
- length-weight relationship, 244-245
- mortality, 179
- size and age composition, 219, 222
- stunted, 36
- year classes, 224-225, 308-315
- white, 118
- Percidae
- Ammocrypta clara*, 133
- Boleosoma nigrum*, 127, 133, 330
- Hadropterus maculatus*, 133
- phoxcephalus, 133
- Perca flavescens*, 36, 116, 140, 179, 205-206, 219, 221-222, 224-225, 237-238, 241, 244-245, 282, 306-315, 330-331, 334
- Poecilichthys exilis*, 330
- flabellaris lineolatus, 133
- Stizostedion canadense*, 65-71, 306-315
- vitreum glaucum, 308-315
- v. vitreum, 20, 36-42, 65-71, 116, 175, 282, 306-315, 332
- Percopsidae
- Percopsis omiscomaycus*, 330
- Perla hastata*, 120
- Perlesta* sp., 120
- Phenacobius mirabilis*, 127, 133
- Phyllophaga* sp., 121
- Pickrel, 50
- yellow, 332
- Pike, blue, year classes, 308-315
- mud, size and age composition, 222-223
- northern, 20, 116, 237, 326, 330, 333
- coefficient of condition, 254
- conversion between standard and total length, 238
- length-weight equation, 241
- length-weight relationship, 254-255
- mortality, 175
- walleye, 282
- depth distribution, 65-71
- growth, 306-308
- mortality, 175
- recovery of marked, 36-42
- year classes, 308-315
- Pikeperch, 20
- yellow, 175, 332
- Pilodictis olivaris*, 116
- Pimephales promelas*, 92, 95, 127, 133, 330
- Pisidium*, 328-330
- Plankton, relation to turbidity, 304-306
- Planorbis* sp., 127
- Plantings, brown trout, 147-156
- lake trout, 323-335
- rainbow trout, 323-335
- Plants
- Acer negundo*, 127
- Amaranthus* sp., 127
- Ambrosia artemisiifolia*, 127
- trifida, 127
- Anabaena*, 168-170, 172-173
- Anacharis*, 49
- Aphanizomenon flos aquae*, 179
- Asterionella*, 168, 328
- Celtis occidentalis*, 127
- Ceratophyllum demersum*, 203
- Chara*, 49, 202-203
- Cornus* sp., 127
- Decodon verticillatus*, 203
- Dianthera americana*, 49
- Eleocharis acicularis*, 203
- Eriocaulon septangulare*, 167
- Juncus maritima*, 167
- Lemna*, 117
- Megalodonta beckii*, 203
- Melosira*, 328
- Najas*, 118
- flexilis, 203
- Nuphar advena*, 203
- Nymphaea odorata*, 203
- Quercus* sp., 127
- Poa pratensis*, 127
- Polygonum persicaria*, 127
- Pontederia cordata*, 203
- Potamogeton*, 117
- americanus, 203
- amplifolius, 203
- angustifolius, 203
- crispus, 49
- gramineus, 203
- natans, 203
- vaseyi, 203
- zosteriformis, 203
- Salix* sp., 127
- Scirpus*, 324
- validus, 203
- Stephanodiscus*, 328
- Typha angustifolia*, 203
- Ulmus americana*, 121, 127
- Vaucheria* sp., 127
- Vitis* sp., 127, 130
- Zea mays*, 127, 129
- Platyhelminthes
- Acolpenteron ureterocoetes*, 105
- Trienophorus*, 330-331
- Plecoptera
- Acronuria*, 54
- internata, 53-54
- lycorias, 120
- Neoperla clymene*, 53-54
- Neophasganophora capitata*, 54, 120
- Perla hastata*, 120
- Perlesta* sp., 120
- Plumatella fungosa*, 115, 122, 127
- Poa pratensis*, 127
- Podius*, maculiventris, 120
- Poecilichthys exilis*, 330
- flabellaris lineolatus, 133
- Poisoning, Deep Lake, Michigan, 200-227
- effects of DDT, 48-58
- Ford Lake, Michigan, 36-42
- Michigan lakes, 139-146
- symptoms, brown trout, 59-64
- Polyarthra*, 328
- Polycentropus*, 53
- Polygonum persicaria*, 127
- Pomoxis annularis*, 85
- nigro-maculatus, 116, 175, 179
- Ponds, creek chub, 336-350
- stocking hybrid sunfish, 84-96
- Pondweed, 203
- Pontederia cordata*, 203
- Population, Deep Lake, Michigan, 200-227
- Potamogeton* sp., 120-121, 128
- Potamogeton*, 117
- americanus, 203
- amplifolius, 203
- angustifolius, 203
- crispus, 49
- gramineus, 203
- natans, 203
- vaseyi, 203
- zosteriformis, 203
- President, message of, 13-16
- list of past, 6-7
- Pritchard, A. L., 4

- Productivity, poisoned lakes, 143-145  
 relation to turbidity, 304-306, 315  
 standardization of terms, 164  
 Propagation, creek chub, 336-350  
*Prosopium williamsi*, 335  
 Protozoa  
   *Dinobryon*, 328  
   *Paephenus herricki*, 53-54  
   *Pseudocloacina carolina*, 53-54  
   *Psychoda* sp., 121  
   *Ptychoptera* sp., 121  
 Pumpkinseed, 140, 205-206, 237  
   coefficient of condition, 246  
   conversion between standard and total  
   length, 238  
   hybrids, 211-215  
   length-weight equation, 241  
   length-weight relationship, 246-247  
   size and age composition, 209-212  
   year classes, 224-225
- Q
- Quercus* sp., 127
- R
- Raceways, artificial propagation, 336-350  
*Rana catesbeiana*, 58  
 Rawson, D. S., 323-335  
 Recovery, poisoned fish, 205-206  
 Redhorse, 116  
 Reid, Kenneth A., 5  
 Reptilia  
   *Chelydra serpentina*, 58  
   *Chrysemys picta*, 58  
   *Clemmys insculpta*, 58  
   *Natrix sipedon*, 58  
 Reservoirs, depth distribution of fish, 65-71  
*Rhamphidia* sp., 121  
*Rhaphidolabis* sp., 121  
*Rhinichthys atronasmus*, 50, 55-58  
   *cataractae*, 330  
 Ricker, William E., 84-96  
 Rodd, James A., 5  
 Rotenone, application, 37-38  
   Michigan experiments, 139-146, 200-227  
   use, 203-204  
 Rotifera  
   *Polyarthra*, 328  
 Rush, needle, 203
- S
- Salix* sp., 127  
*Salmo fario*, 147-156  
   *gairdnerii*, 77-83, 323-335  
   *irideus*, 140  
   *trutta*, 59-64, 140  
 Salmon, relation to freshets, 259-263, 265  
   sockeye, trap, 97-104  
 Salmonidae  
   *Oristiomer namaycush*, 19-35, 323-335  
   *Oncorhynchus nerka*, 97-104  
   *Salmo fario*, 147-156  
   *gairdnerii*, 77-83, 323-335  
   *irideus*, 140  
   *trutta*, 59-64, 140  
   *Salvelinus fontinalis*, 20, 36-42, 140, 165-  
   167, 181-199, 259, 264-265  
   *malma*, 335  
*Sarcophaga* sp., 121  
 Sauger, depth distribution, 65-71  
   growth, 306-308  
   year classes, 308-315  
 Scientific names of fishes, list, 353-397  
*Scirpus*, 324  
   *validus*, 203  
 Schuck, Howard A., 147-156  
 Schultz, Leonard P., 4  
 Sciaenidae  
   *Aplocheilichthys grunniens*, 306-315  
   Scofield, W. L., 3  
   *Semotilus a. atromaculatus*, 133, 336-350  
 Serranidae  
   *Lepidema chrysops*, 306-315  
   *Morone americana*, 118  
   *Setodes* sp., 121, 128-129  
 Shad, gizzard, 118  
   relation to freshets, 264  
 Sheepshead, growth, 306-308  
   year classes, 308-315  
 Shelter, stream improvement, 270-274  
 Shiner, common, 55-58, 88  
   golden, 50, 57, 92, 95, 201, 205-206, 223  
   northern mimic, 38  
   sand, 116  
   spotfin, 49, 52, 55-58, 116  
 Shoemaker, Carl D., 3, 5  
 Shrimp, freshwater, 328-329  
 Simon, James R., 3  
*Simsonia* sp., 53-54  
*Simulium* sp., 121  
*Siphonurus* sp., 120  
 Size, catfish, relation to food, 125-130  
   poisoned fish, 207-224  
 Size and age composition.  
   bass, largemouth, 216-218  
   rock, 219-220  
   bluegill, 207-209  
   bullhead, yellow, 222  
   perch, yellow, 219, 222  
   pike, mud, 223-223  
   pumpkinseed, 209-212  
   sunfish, green, 215  
 Smith, Lloyd, L., 4  
 Smith, M. W., 5, 165-174  
 Snails, 328-329  
 Snake, water, 58  
 Spawning, creek chub, 343-344  
   raceway, preparation, 337-338  
*Sphaerium stamineum*, 54  
 Standardization, lengths and weights, 157-164  
*Stenelmis* sp., 53-54  
*Stenonema* sp., 53-54, 120  
*Stephanodiscus*, 328  
*Sternotherus odoratus*, 58  
 Stickleback, brook, 330  
*Stizostedion canadense*, 65-71, 306-315  
   *vitreum glaucum*, 308-315  
   *v. vitreum*, 20, 36-42, 65-71, 116, 175,  
   282, 306-316, 332  
 Stock, brood, selection, 338-343  
 Stocking, hybrid sunfish, 84-96  
 lake trout, 332-335  
 rainbow trout, 332-335  
*Stratiomyia* sp., 121  
 Stream, improvement in Michigan, 270-280  
 Sucker, chub, 50, 55-58, 140  
   common, 50, 55-58, 205-206, 223, 330  
   hog, 175  
   mortality, 175, 179  
   northern, 331-332  
   relation to freshets, 257, 264  
   stoneroller, 50, 55-58  
 Sulfa drugs, treatment of furunculosis, 186-  
 199  
 Sumner, F. H., 77-83  
 Sunfish, green, 88, 91-93, 95-96, 140, 205-  
 206  
   growth, 215-217  
   hybrid, 205-206, 215  
   size and age composition, 215  
   year classes, 224-225  
   hybrid, 84-96  
   red-bellied, 50  
   redear, 85, 89

- Surber, Eugene W., 48-59  
 Survival, brown trout, 147-156  
     smallmouth bass, 43-47  
     treatment for furunculosis, 189-192
- T
- Tabanus* sp., 121  
 Tack, Peter I., 181-185  
 Tagging, lobster, 267-269  
 Tapeworm, infection of whitefish, 330-331  
 Temperature, reduction in stream improvement, 278-279  
     relation to egg survival, 43-47  
     relation to depth distribution of fish, 65-70  
 Terminology, standardization, 157-164  
 Texture, cooked wild and reared brook trout, 183-184  
 Thymallidae  
     *Thymallus montanus*, 37  
*Tibicen auletes*, 120  
 Tillamook County, Oregon, 77-83  
 Tolerance, fish to turbidity, 316-317  
 Topminnow, blackstripe, 88  
 Toxicity, apparatus for evaluation, 228-236  
     DDT to brown trout, 59-64  
     DDT with different application, 61-63  
     experiments on river water, 179  
 Trap, salmon, 97-101  
*Tricentrophorus*, 330-331  
 Trichoptera  
     *Brachycentrus* sp., 121  
     *Cheumatopsyche* sp., 53-54  
     *Chimarra obscura*, 53-54  
         *socia*, 53-54  
     *Helicopsyche borealis*, 121  
     *Hydropsyche* sp., 53-54, 121, 128  
     *Macronemum zebratum*, 53-54  
     *Polycentropus*, 53  
     *Setodes* sp., 121-122, 128-129  
 Trout, brook, 140, 165-166  
     palatability of wild and reared, compared, 181-185  
     recovery of marked, 36-42  
     relation to freshets, 259, 264-265  
     treatment of furunculosis, 186-199  
     brown, 140  
         survival and growth, 147-156  
         symptoms of DDT poisoning, 63-64  
     Dolly Varden, 335  
     lake, 140  
     fishery, 19-35  
     plantings, 323-335  
     rainbow, 140  
         plantings, 323-335  
         speckled, 20  
         steelhead, age and growth, 77-83  
 Tucker, William J., 4  
 Tullibee, 330  
 Turbidity, Great Lakes, 288-298  
     relation to decline of fishery, 281-322  
     tolerance of fish, 316-317  
 Turtle, eastern painted, 58  
     musk, 58  
     snapping, 58  
     wood, 58  
*Typha angustifolia*, 203
- U
- Ulmus americana*, 121, 127  
 Umbridae  
     *Umbra limi*, 38-39, 205-206, 223-224
- V
- Van Oosten, John, 3, 281-322  
*Vaucheria* sp., 127  
 Vertebrates, effects of DDT, 55-58  
*Vitis* sp., 127, 130  
 Vivipara, 116
- W
- Walleye, 116, 282  
 Washburn, George N., 336-350  
 Water level, relation to fish runs, 257-266  
 Webster, Dwight A., 43-47  
 Weights in fishery work, standardization, 157-164  
 Westerman, F. A., 4  
 Weston, Roy F., 228-236  
 Whitefish, 282, 330  
     growth in different waters, 306-308  
     year classes, 308-315  
     Rocky Mountain, 335  
 Wickliff, E. L., 4  
 Willow, water, 49  
 Wire, Frank B., 4
- Y
- Yahara River, Wisconsin, 175-180  
 Year classes, comparative strength, 224-225  
     fluctuations in relation to turbidity, 308-315  
     lake trout, variation, 25-33
- Z
- Zea mays*, 127, 129



57-

225  
08-